National Bureau of Standard Library, N.W. Bldg AUG 1 6 1963

Copp.2

Central Radio Propagation Laboratory

# IONOSPHERIC PREDICTIONS

for
August
1963

TB 11-499-5/TO 31-3-28



U.S. DEPARTMENT of COMMERCE

National Bureau of Standards

Number 5/Issued May 1963

### U.S. DEPARTMENT OF COMMERCE Luther H. Hodges, Secretary



NATIONAL BUREAU OF STANDARDS A. V. Astin, Director

Central Radio Propagation Laboratory

## **Ionospheric Predictions**

for August 1963

[Formerly "Basic Radio Propagation Predictions," CRPL Series D.]

Number 5 Issued May 1963

The CRPL Ionospheric Predictions are issued monthly as an aid in determining the best sky-wave frequencies over any transmission path, at any time of day, for average conditions for the month. Issued three months in advance, each issue provides tables

of numerical coefficients that define the functions describing the predicted worldwide distribution of foF2 and M(3000)F2 and maps for each even hour of universal time of MUF(Zero)F2 and MUF(4000)F2.

Note: Department of Defense personnel see back cover.

Use of funds for printing this publication approved by the Director of the Bureau of the Budget (June 19, 1961).

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C. Price 15 cents.

Annual subscription (12 issues) \$1.50 (50 cents additional for foreign mailing).

### National Bureau of Standards

The functions of the National Bureau of Standards are set forth in the Act of Congress, March 3, 1901, as amended. These include the development and maintenance of the national standards of measurement and the provision of means and methods for making measurements consistent with these standards; the determination of physical constants and properties of materials; the development of methods and instruments for testing materials, devices, and structures; advisory services to government agencies on scientific and tech-

nical problems; invention and development of devices to serve special needs of the Government; and the development of standard practices, codes, and specifications. The work includes basic and applied research, development, engineering, instrumentation, testing, evaluation, calibration services, and various consultation and information services. The Bureau also serves as the Federal technical research center in a number of specialized fields.

### Central Radio Propagation Laboratory

The Central Radio Propagation Laboratory at Boulder, Colorado, is the central agency of the Federal Government for the collection, analysis, and dissemination of information on propagation of radio waves at all frequencies along the surface of the earth, in the atmosphere, and in space, and performs scientific studies looking toward new techniques for the efficient use and conservation of the radio spectrum. To carry out this responsibility, the CRPL—

- 1. Acts as the central agency for the conduct of basic research on the nature of radio waves, the pertinent properties of the media through which radio waves are transmitted, the interaction of radio waves with those media, and on the nature of radio noise and interference effects. This includes compilation of reports by other foreign and domestic agencies conducting research in this field and furnishing advice to government and nongovernment groups conducting propagation research.
- 2. Performs studies of specific radio propagation mechanisms and performs scientific studies looking

toward the development of techniques for efficient use and conservation of the radiofrequency spectrum as part of its regular program or as requested by other government agencies. In an advisory capacity, coordinates studies in this area undertaken by other government agencies.

- 3. Furnishes advisory and consultative service on radio wave propagation, on radiofrequency utilization, and on radio systems problems to other organizations within the United States, public and private.
- 4. Prepares and issues predictions of radio wave propagation and noise conditions and warnings of disturbances in these conditions.
- 5. Acts as a central repository for data, reports, and information in the field of radio wave propagation.
- 6. Performs scientific liaison and exchanges data and information with other countries to advance knowledge of radio wave propagation and interference phenomena and spectrum conservation techniques, including that liaison required by international responsibilities and agreements.

### Introduction

The "Central Radio Propagation Laboratory Ionospheric Predictions" is the successor to the former "Basic Radio Propagation Predictions," CRPL Series D. To make effective use of these predictions, National Bureau of Standards Handbook 90, "Handbook for CRPL Ionospheric Predictions Based on Numerical Methods of Mapping," should be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C., price 40 cents. This Handbook includes required additional data, nomographs and graphical aids, as well as methods for the use of the predictions. The Handbook supersedes the obsolete NBS Circular 465.

The basic prediction appears in tables 1 and 2, presenting predicted coefficients for foF2 and M(3000) F2 defining the numerical map functions describing the predicted worldwide variation of these characteristics. With additional auxiliary information, these coefficients may be used as input data for electronic computer programs solving specific high frequency propagation problems. The basic equations, their interpretation, and methods of using the numerical maps are described in two papers by W. B. Jones and R. M. Gallet, "The Representation of Diurnal and Geographic Variation of Ionospheric Data by Numerical Methods," Volume 66D, Number 4, July-August 1962, pages 419-438, and "Methods for Applying Numerical Maps of Ionospheric Characteristics," Volume 66D, Number 6, Novemeber-December 1962, pages 649-662, both in the Journal of Research of the National Bureau of Standards, Section D. Radio Propagation. The predicted numerical map coefficients of tables 1 and 2 may be purchased in the form of a tested set of punched cards. Write to the Prediction Service Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado, to arrange for the purchase of the set of punched cards and for further information and assistance in the application of computer methods and numerical prediction maps to specific propagation problems.

The graphical prediction maps, derived from the basic prediction, are provided for those unable to make use of an electronic computer. Figures 1 to 12 present world maps of MUF(Zero) F2 and MUF(4000) F2 for each even hour of universal time. Figures 13 to 16 present the same predictions for hours 00 and 12 universal time for the North and South Polar areas. Predicted polar maps for each even hour of universal time may be obtained by special arrangements with the Central Radio Propagation Laboratory. Handbook 90 describes methods for including regular E-F1 propagation. Figure A is a graph of predicted and observed Zürich sunspot numbers which shows the recent trend of solar activity. Table A lists observed and predicted Zürich smoothed relative sunspot numbers and includes the sunpot number used for the current prediction.

Members of the U.S. Army, Navy, or Air Force desiring the Handbook and the Ionospheric Predictions should send requests to the proper service address; for the Navy: The Director, Naval Communications, Department of the Navy, Washington 25, D.C.; for the Air Force: Directorate of Command Control and Communications, Headquarters, United States Air Force, Washington 25, D.C., Attention: AFOCCAA. Army personnel should refer to the Handbook as TM 11–499 and to the monthly predictions as TB 11–499–( ), predictions for the month of August 1963 being distributed in May 1963 and designated TB 11–499–(5), and should requisition these through normal publication channels.


Information concerning the theory of radio wage propagation and such important problems as absorption, field intensity, lowest useful high frequencies, etc., is given in National Bureau of Standards Circular 462, "Ionospheric Radio Propagation." This may be obtained from the Superintendent of Documents, price \$1.25 (to foreign countries, \$1.65). A revised work is in preparation which will be announced in the Ionospheric Prediction series when available. Additional information about radio noise may be found in C.C.I.R. Report Number 65, "Revision of Atmospheric Noise Data," International Telecommunication Union, Geneva, 1957.

Reports to this Laboratory of experience with these predictions would be appreciated. Correspondence should be addressed to the Predictions Services Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado.

Month	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1952	43	42	39	36	34	32	31	29	28	28	27	26
	(53)	(51)	(52)	(52)	(52)	(52)	(51)	(49)	(46)	(43)	(38)	(33)
1953	24	22	20	19	17	15	13	12	11	10	9	7
	(30)	(29)	(27)	(24)	(22)	(2 <b>1)</b>	(20)	(18)	(18)	(17)	(16)	(15)
1954	6	6	4	3	4	4	5	7	8	8	10	12
	(14)	(12)	(11)	(10)	(10)	(9)	(8)	(8)	(8)	(10)	(10)	(11)
1955	14	16	20	23	29	35	40	46	55	64	73	81
	(12)	(14)	(14)	(13)	(16)	(18)	(22)	(27)	(30)	(31)	(35)	(42)
1956	89	98	109	119	127	137	146	150	151	156	160	164
	(48)	(53)	(60)	(68)	(77)	(89)	(95)	(105)	(119)	(135)	(147)	(150)
1957	170	172	174	181	186	188	191	194	197	200	201	200
	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)
1958	199	201	201	197	191	187	185	185	184	182	181	180
	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)	(150)
1959	179	177	174	169	165	161	156	151	146	141	137	132
	(150)	(150)	(150)	(150)	(146)	(143)	(141)	(142)	(141)	(139)	(137)	(137)
1960	129	125	122	120	117	114	109	102	98	93	88	84
	(136)	(135)	(133)	(130)	(125)	(120)	(118)	(115)	(110)	(108)	(105)	(100)
1961	80	75	69	64	60	56	53	52	52	51	50	48
	(100)	(90)	(90)	(90)	(85)	(85)	(80)	(75)	(70)	(70)	(65)	(60)
1962	44 (60)	41 (50)	39 (48)	38 (45)	38 (42)	37 (37)	36 (34)	34 (31)	(29)	(28)	(27)	(34)
1963	(31)	(28)	(26)	(25)	(25)	(25)	(23)	(21)	¢			

Note: Final numbers are listed through June 1961, the succeeding values being based on provisional data. The predicted numbers are in parentheses.

 $<sup>\</sup>star$  Number used for predictions in this issue.



Harmanic	/×	н	П	H
ic 0	0	6.35432176 1.012388256-1.0103918 4.2771104 5.47237104 5.47237104 6.25591326 1.023026 1.05688366 1.0568866 1.0568866 1.0568866 1.0568866 1.0568866 1.0568866 1.0568866 1.0568866 1.0568	2.551533E-0.2 15 1.524022E-0.1 16 0.65386E-0.2 17 0.65386E-0.2 17 0.65386E-0.2 17 0.65386E-0.2 17 0.65386E-0.2 17 0.65386E-0.2 17 0.65486E-0.2 18 0.65486E-0.2 18 0.65486E-0.2 18 0.65486E-0.2 18 0.65486E-0.2 19 0.65486E-0.2 19 0.65486E-0.2 19 0.65486E-0.2 19 0.65486E-0.2 19 0.65486E-0.2 19 0.65486E-0.2 11 0.65486E-0.2	29 -6.9164225E-02 40 -1.95077E-01 -1.770977E-01 -2.4285449E-01 -2.4285444E-01 -2.4286444E-01 -2.4286445E-01 -2.4286475E-00 -2.4286475E-00 -2.4286475E-00 -2.4286475E-00 -2.4286475E-00 -2.4286475E-00 -2.4286475E-00 -2.4286475E-01 -2.142864815E-01 -2.
		011555555555555555555555555555555555555		6.482 6.482 6.482 1.7062 1.7062 1.7063 1
	-	1,80.6264E 6,661.3251E 1,00.13769E 1,00.13769E 1,00.13769E 1,00.13769E 1,00.13769E 1,00.13769E 1,00.13769E 2,00.1	000000000000000000000000000000000000000	6.4827656E-01 1,706637E-02 2.6402055E-01 -1,06746E-02 1,06746E-01 1,480495E-01 1,480495E-01 1,480495E-01 -7,6978025E-02 -7,6978025E-02
	2	1,92404,99E 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8.9962335E-0.2 1.5942406E-0.1 1.594201E 00 -2.14126201E 00 -2.1412903E 01 2.1424903E 01 2.1424903E 01 2.1424903E 01 2.1424903E 01 3.1424903E 01 1.1424904 01 1.14	1.2173005E-0 -2.30978E-0 -2.30978E-0 -1.008451E-0 -1.008451E-0 -2.902507E-0 -5.819508E-0 -5.8
	ю	-5.528566E-01 -7.712829E-01 -7.712829E-01 -7.538914E-01 -7.598914E-01	-2.324.646.69 -2.324.646.96.60 -3.4610.101.601.601.601.601.601.601.601.601.	1.2166828 E-0 5.0652843 E-02 2.035748 93.8 E-01 1.748 93.8 E-01 -2.045765 E-01 6.449768 E-01 6.449768 E-01 6.4597765 E-01 2.116389 E-02 2.4557765 E-01 1.4989 E-02 2.4557765 E-01 1.4989 E-03 1.4989 E-0
2	4	1.2805686E-01 -2.9216671E 00 2.9216671E 00 2.8350218E 00 -1.946941E 00 -1.0701598E 00 -1.0701598E 00 -1.0701598E 00 -1.0701598E 00 -1.0701598 00 -1.070159 00 -1.0701	-7.30 7V096E-02 -1.30 6450E-02 -1.30 6450E-02 -1.30 6450E-02 -1.658019SE 00 -1.658019SE 00 -1.70 7560E-02 -1.70 7560E-03 -1.70 7560E-03 -2.72 736E-03 -2.72 736E-03 -2.73 7450E-03 -3.25 75 E-03 -3.25	2.7923691E-0.2 1.65976.3E-0.1 1.972384.9E-0.1 2.72384.9E-0.3 2.72304.9E-0.3 2.72304.9E-0.3 3.96895.9E-0.1 6.5346.8E-0.3 4.33697.3E-0.2 4.33697.3E-0.2 4.467177.1E-0.1
	5	-3.2590028E-01 -3.6323E-01 -3.8323E-01 -3.238E-00 -3.238E-00 -1.23842E-01 -1.23842E-01 -1.23842E-01 -1.258637E-01 -1.258637E-01 -1.2562393 -1.156229E-01 -1.156229E-01 -1.156229E-01 -1.15623038E-01	-8.6644538E-0-3.26565E-0-3.26565E-0-3.26565E-0-3.26565E-0-3.26565E-0-3.26566E-0-3.26566E-0-3.26566E-0-3.26566E-0-3.26566E-0-3.26566E-0-3.26566E-0-3.26566E-0-3.26566E-	-2-07-09-09-04-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-
3	9	-3.6825638E-01 -4.1595887E-01 -5.355887E-01 -3.355887E-01 -3.355887E-01 -4.68284.6.01 -4.68284.6.01 -4.68284.6.01 -4.68284.6.01 -4.68284.6.01 -4.68284.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01 -4.68286.4.6.01	2.5482202E-02-1-3372427E-02-1-337242016E-01-1-0794788E-01-1-079478E-01-1-08178E-01-08178E-08178E-01-08178E-01-08178E-01-08178E-01-08178E-01-08178E-01-08178E	1,785368E-01 -1,257786E-01 -5,682450E 00 -2,51549E 00 -2,51549E 00 -4,2633779E-01 -4,539518E-01 -4,539518E-01 -4,539518E-01 -5,5811212E 00
4	7	2.6215988E-01 -1.0718266E-01 4.7184016E-01 4.7184016E-01 6.459266E-01 7.7184016E-01 -5.9266E-01 1.478459E-01 -1.55006E-01 -1.55006E-01 5.944812E-01 5.94812E-01 5.94812E-01	3.3771575E-02 -6.0557025E-02 -6.0557025E-02 -4.664211867E-01 -1.722682E-01 -4.8780266E-02 -4.8780266E-02 -4.8780266E-03 -4.8780266E-03 -4.8780266E-03 -4.8780266E-03 -4.284466-03 -4.284466-03 -4.284466-03 -4.284466-03 -4.284466-03 -4.284466-03 -4.284466-03 -4.284466-03 -4.284466-03 -4.284466-03 -4.284466-03 -4.2844816-03 -4.8848186-03 -4	-5.724,2685.724,32685.334,9315.34,9315.44,9315.45,81
	8	1,0114831E-01 2,452473E-01 2,452473E-01 1,8613418E 01 2,7454965E 00 2,7454965E 00 2,7454965E 00 2,7454965E 00 2,7454965E 00 2,664677E 01 2,664677E 01 2,664677E 01 2,64677E 01	2.7766741E-0.2-3.0039089E-0.2-2.0039089E-0.2-2.8455348E-0.1-2.8455348E-0.1-2.845538E-0.1-2.847311E-0.2-2.4163320E-0.1-2.8453320E-0.2-2.845320E-0.2-2.845320	6.24156666-02 -1.272226-01 -6.320316-02 -3.117238386-01 -2.78471656-01 172336836-02 172336836-02 172336836-02 172336836-02 172336836-02 172336836-02 172336836-02 172336836-02 172336836-02 172336836-02 172336836-02 172368836-02 17236836-02 172368836-02 172368836-02 172368836-02 1723

6 7 8	13 14 15 16	-1.2707377E-01 1.9363551E-02 1.3867948E-01 -3.778475E-03 6.2700983E-02 -1.6497381E-02 2.738941EE-01 7.2886915E-02 1.3867948E-01 1.728941EE-01 1.728941EE-01 1.728941EE-01 1.728941EE-01 1.728941EE-01 1.728941EE-01 1.728941E-01 1.728941E-03 1.728941E-02 1.728941E-03 1
	=	
10	01	1.99799492E-02 1.5824683E-01 2.6227350E-01 -4.3949423E-02 2.622733704E-01 -4.591075E-02 1.393704E-01 1.3706992E-01
	6	9.9799492E-02 -1.5524350E-01 -2.6227316E-01 1.3963704E-01 1.6174317E-01
larmanic	%/ /×	0 11 0 11 0
<u> </u>		

GEOGRAPHICAL VARIATION

I - Main latitudinal variation. Mixed latitudinal and langitudinal variation: II - First arder in longitude, III - Secand arder in langitude Natation: For each entry the number given by the first eight digits and sign is multiplied by the pawer af ten defined by the last two digits and sign.

PREDICTED COEFFICIENTS  $D_{SK}$  DEFINING THE FUNCTION  $\Gamma(\lambda,\theta,t)$  FOR MONTHLY MEDIAN  $t_o$  F2 (Mc/s) AUGUST 1963

MOITAIRAV JADIHARROOBO

Harn	Harmonic X X	0 0 3.0457239E 00 -4.0297095E-01 1.0358378E 00	-1.1398313E-01 -8.5041152E-02 5.5936612E-01	2 -2.4677827E-01 -2.2880580E-01 1.9869744E 00	3 -2.5914230E-02 1.0727129E-01 1.5299525E-01		5 1.2761201E-02 7.8676590E-02 -3.4277865E-01	6 -1.8769956 7.7203950
FI	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.5687641E 00 -2.6194351E 00 2.6104351E 00 2.6104501E 00 -1.3970103E 00 -7.5684024E-01 7.3163376E-03 6.4622458E-03	3.6163362E-01 -9.324337E-01 -3.783413F-01 7.446924E-01 1.2238154E-01 -2.0595704E-01 -3.2660100E-04	5,4199455E-01 -4,099768E-00 -1,1204950E-00 3,8436693E-00 -1,5867434E-00 -1,5867434E-00 -1,5867434E-00	-8.2325969E-01 -1.555148E 00 -1.555148E 00 -2.1240439E 00 -8.5125519E-01 -1.1128359E 00	3.9613992E 00 2.3159034E 00 -6.3799467E 00 -2.837615E 00 3.3459323E 00 1.1836426E 00 5.6688583E-03 2.718930E-02	-3.0518638E-01 -3.0518638E-01 4.0754865E-00 -1.8768341E 00 -2.3694214E-01 8.7401513E-01 1.7498608E-02 6.0286496E-03	-3.4069418E-01 2.1663403E-02 6.4469268E-01 3.6567236E-01 -3.6383035E-01 -2.9159750E-01 -2.5575045E-03 1.7707619E-02
	111111111111111111111111111111111111111	3.1022605E-02 -2.198472E-01 7.8873496E-02 -1.4466977E-01 1.2578305E-02 -1.466807E-01	-6.8517250E-02 -2.3388339E-01 -1.5388339E-01 -3.1705889E-01 -3.603910E-01 -1.5199780E -3.603940E-01 -1.5199780E -3.190540E	1,8422384E-01 -5,7603398E-01 -1,3054020E-01 -3,052699E-01 -0,052699E-01 -0,052699E-01 -0,052699E-01 -0,05699E-01 -0,05699E-01 -0,05699E-01 -0,05699E-01	4.9554265F-02 7.04545E-02 4.52647E-01 3.734506F-01 -3.6404357E-01 -8.1094590E-01 -1.901698E-00 -1.73456E-00 -1.735559F-01	7.073412E-03 -2.716634E-02 -2.716634E-01 -5.8401620E-01 1.956496E-01 3.4561293E-01 1.0790273E 00 -5.5912014E-01	-4.0281535-02 1.0380103E-01 -1.6728121E-01 -2.4152586E-02 1.0487048E-01 -8.2856923E-01 5.5337186E-01 5.0171933E-01	-4,1921884-6-02 1,5609438-01 -1,07841618-01 -1,5282618-01 -9,34013708-01 5,7631738-01 5,7631738-01 -4,28287998-01
	20 22 23 24 25 25	-1,4316,735E 00 5,2035,74E-01 1,008133,74E-01 -1,42983,35E-01 3,2106,31E-01 -3,2106,299E-02	-2.791845E 00 -3.7134824E 00 -6.070839E-01 1.7501234E 00 2.5803849E 00 2.55015726E 00	2.0884710E 00 1.210884710E 00 1.210884710E 00 2.6491401E 00 8.4491401E 00 8.47062E1E-01 3.5211595E-01	2.137757E 00 2.868715E 00 2.868715E 00 -3.959807E-01 -1.517102E 00 -1.0743584E 00 -1.4597565E 00	-5.236670E-01 -1.6842609E 00 -4.1140974E-01 2.7527675E-01 2.414788E-01 2.0098923E 00	1.667665E 00 -4.1884664E-01 2.355868E-01 -2.735998E-01 -9.7097112E-01 -5.234610E-02 -1.2114018E-01	1.6062956E 00 -5.346289E-01 -9.1346289E-01 2.096346E-01 -8.5739940E-01 -1.8218458E-02 -9.0064631E-02
目	22 20 31 32 33 35 35	2.0524917E-03 -3.1730036E-04 -2.7835145E-03 -1.082856E-02	1.9085599E-03 -1.0812803E-02 -2.9487385E-02 -1.4103344E-02 1.2530273E-01 2.1840864E-01 1.8795305E-01	5.2478894E-02 1.7689554E-02 5.3194288E-03 -1.0502422E-01 -1.2137295E-01 4.430752E-03 2.5630592E-03	-3.0252470E-02 -1.0995986E-04 -1.878786E-04 1.8503116E-01 4.406863E-02 -4.216282E-02 -6.00179E-03 -2.837309E-01	2.2445930E-03 9.8011466E-03 -2.1400328E-03 -4.004967E-04 7.3908247E-04 2.5494665E-03 6.9509040E-03	-7.5910261E-04	-9.1001788E-04 1.166656E-03 2.74180839E-03 2.4495834E-03

GEOGRAPHICAL VARIATION

5	9 10 11	6.2E-03 4,9605934E-03 2,8998185E-02 -1,1533006E-02 2,9648924E-03 76E-02 -3,4012638E-02 -1,6494309E-02 4,8558965E-03 -2,2752766E-02 29E-02 7,949167E-04 -3,8269108E-02 1,5184649E-02 -2,0056484E-03 53E-02 2,5399359E-02 1,5078945E-02
4	8	3.5486062E-03 3.3706176E-02 -1.1284829E-02 -1.9818753E-02
Harmonic	Z X	0 3.5651840E-02 1 3.0685808E-03 2 -5.0096006E-02 -


GEOGRAPHICAL

Notation: For each entry the number given by the first eight digits and sign is multiplied by the power of ten defined by the last two digits and sign. I-Main latitudinal variation Mixed latitudinal and longitudinal variation:II - First order in longitude, 田 - Second order in longitude.


# PREDICTED COEFFICIENTS $D_{SK}$ DEFINING THE FUNCTION $\Gamma(\lambda,\theta,t)$ FOR MONTHLY MEDIAN M(3000)F2 AUGUST 1963

165° EAST 180° WEST 165°

FIG IB. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)



AUGUST 1963 UT = 04



150° 135°


FIG. 4B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

AUGUST 1963 UT = 08 LONGITUDE 150° 135° 120° 105° 90° 75° 120° | 135° | 150° | 165° EAST 180° WEST 165° 40 45 50 55 3,5 60 55 65. ±3.0\_ 90° 60° 75° 90° 105° 120° 135° 150° 165° EAST 180° WEST 165° 150° 150° 120° 105° 90° 75° 60° 45° FIG 5A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s) 150° 165° EAST 180° WEST 165° 60° 30° LATITUDE 28

0° 135° 150° 165° £AST 180° WEST 165° 150° 155° 120° 105° 90° 75° 60° 45° 30° 15° 0° 15° 30° 45° 6
FIG. 5B. PREDICTED MEDIAN MUF (4000)F2 (Mc/s)

- 14-

AUGUST 1963 UT=10




AUGUST 1963 UT = 12 LONGITUDE 105° 120° 135° 150° 165° EAST 180° WEST 165° 150° 135° 120° 105° 90° 75° 60° 45° 30° 15° ·3.5 · . 7.5 LATITUDE 85 8.0 7.5 7.0 65 S NORTH 9.0 3.0 4.5 150° 165° EAST 180° WEST 165° 150° 135° 120° 105° 90° 75° 60° 45° 105° 15° 15° FIG. 7A PREDICTED MEDIAN MUF (ZERO)F2 (Mc/s) LONGITUDE 150° 135° 120° 105° 120° 135° 150° 165° EAST 180° WEST 165° 60° -18 -

135° 150° 165° EAST 180° WEST 165° 150° 135° 120° 105° 90°

FIG. 7B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

AUGUST 1963 UT = 14



AUGUST 1963 UT = 16 LONGITUDE 150° 135° 120° 105° 150° | 165° EAST 180° WEST 165° 4.5 LATITUDE 4.0 3.5 165° EAST 180° WEST 165° 150° 135° 120° 105° 90° FIG. 9A PREDICTED MEDIAN MUF (ZERO)F2 (Mc/s) LONGITUDE 165° EAST 180° WEST 165° 200 14 150° 135° 120° 105° 165° EAST 180° WEST 165° FIG 9B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

AUGUST 1963 UT =18 LONGITUDE -5.0 4.5. 5.0 5.0 4.5 5.0 45 20° 4.0 3.5 LATITUDE ...35 3.0 3.0· • 3.5· <sub>60°</sub> 3.0 3.5 120° 130° 150° 165° EAST 180° WEST 165° 150° FIG IOA PREDICTED FIG IOA PREDICTED MEDIAN MUF (ZERO)F2 (Mc/s) 150° 165° EAST 180° WEST 165° 50° 40° 30° 20° 32 LATITUDE 10 -10-


150° !35°


FIG. IOB. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

105°

75° 90°

AUGUST 1963 UT = 20








FIG. 13A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG.13B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)






FIG. 14A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG. 14B. PREDICTED MEDIAN MUF (4000)F2 (Mc/s)






FIG 15A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG. 15B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)




FIG.16A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG.16B PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

An

# HANDBOOK for CRPL IONOSPHERIC PREDICTIONS

Based on Numerical Methods of Mapping

NBS Handbook 90 — by S. M. Ostrow —58 pages — December 1962 — \$0.40

All persons engaged in the solution of high frequency radio propagation problems will need this new *Handbook*, which replaces *Instructions for the Use of Basic Radio Propagation Predictions*, Circular 465 of the National Bureau of Standards.

Beginning with the January 1963 issue, the monthly radio propagation predictions from the Central Radio Propagation Laboratory of the National Bureau of Standards at Boulder, Colorado, will be entitled *CRPL Ionospheric Predictions*, instead of *Basic Radio Propagation Predictions* (*CRPL-D Series*), as now called.


CRPL Ionospheric Predictions will fulfill the same functions as its predecessor. However, this new version will be prepared by numerical mapping methods, using an electronic computer. The predictions will be presented in two forms, giving the user the choice of either computer or graphical methods. Those using a computer will derive maximum benefits from the system. However, even when a computer cannot be used, the new prediction maps will provide more information than the earlier zone prediction charts, which were prepared by manual methods and designed primarily for graphical solution of high frequency propagation problems.

Thus the new Handbook is a necessity. All users of the CRPL Ionospheric Predictions should discard the now-obsolete Instructions and obtain a copy of the Handbook.

Use the order form below. Please order promptly so that you will have your *Handbook* by the time the January issue of *Predictions* arrives.

-				
Superintendent of Doc	ruments			
U.S. Government Prin				
Washington 25, D.C.				
	in check□ mon undbook for CRPL Ion			copies of
Name				
Organization				
Address				
City	Zone	State (or	Country)	
(Please Note: Remitts	ances from foreign con	intries should be by	z international mo	nev order or hv

(Please Note: Remittances from foreign countries should be by international money order or by draft on a U.S. bank.)



### U.S. DEPARTMENT OF COMMERCE Luther H. Hodges, Secretary

NATIONAL BUREAU OF STANDARDS A. V. Astin, Director

### THE NATIONAL BUREAU OF STANDARDS

The scope of activities of the National Bureau of Standards at its major laboratories in Washington, D.C., and Boulder, Colorado, is suggested in the following listing of the divisions and sections engaged in technical work. In general, each section carries out specialized research, development, and engineering in the field indicated by its title.

### WASHINGTON, D. C.

Electricity. Resistance and Reactance. Electrochemistry. Electrical Instruments. Magnetic Measurements. Dielectrics. High Voltage. Absolute Electrical Measurements.

Metrology. Photometry and Colorimetry. Refractometry. Photographic Research. Length. Engineering Metrology. Mass and Scale. Volumetry and Densimetry.

Heat. Temperature Physics, Heat Measurements, Cryogenic Physics, Equation of State. Statistical Physics. Radiation Physics. X-ray. Radioactivity. Radiation Theory. High Energy Radiation. Radiological Equipment. Nucleonic Instrumentation. Neutron Physics.

Analytical and Inorganic Chemistry. Pure Substances. Spectrochemistry. Solution Chemistry. Standard Reference Materials. Applied Analytical Research. Crystal Chemistry.

Mechanics, Sound. Pressure and Vacuum. Fluid Mechanics. Engineering Mechanics. Rheology. Combustion Controls.

Polymers. Macromolecules: Synthesis and Structure. Polymer Chemistry. Polymer Physics. Polymer Characterization. Polymer Evaluation and Testing. Applied Polymer Standards and Research. Dental Research. Metallurgy. Engineering Metallurgy. Microscopy and Diffraction. Metal Reactions. Metal Physics. Electrolysis and Metal Deposition.

Inorganic Solids. Engineering Ceramics. Glass. Solid State Chemistry. Crystal Growth. Physical Properties. Crystallography.

Building Research. Structural Engineering. Fire Research. Mechanical Systems. Organic Building Materials. Codes and Safety Standards. Heat Transfer. Inorganic Building Materials. Metallic Building Materials.

Applied Mathematics. Numerical Analysis. Computation. Statistical Engineering. Mathematical Physics. Operation Research.

Data Processing Systems. Components and Techniques. Computer Technology. Measurements Automation. Engineering Applications. Systems Analysis.

Atomic Physics. Spectroscopy. Infrared Spectroscopy. Far Ultraviolet Physics. Solid State Physics. Electron Physics. Atomic Physics. Plasma Spectroscopy.

Instrumentation. Engineering Electronics. Electron Devices. Electronic Instrumentation. Mechanical Instruments. Basic Instrumentation.

Physical Chemistry. Thermochemistry. Surface Chemistry. Organic Chemistry. Molecular Spectroscopy. Elementary Processes. Mass Spectrometry. Photochemistry and Radiation Chemistry.

Office of Weights and Measures.

### BOULDER, COLO.

Cryogenic Engineering Laboratory. Cryogenic Equipment. Cryogenic Processes. Properties of Materials. Cryogenic Technical Services.

### CENTRAL RADIO PROPAGATION LABORATORY

Ionosphere Research and Propagation. Low Frequency and Very Low Frequency Research. Ionosphere Research. Prediction Services. Sun-Earth Relationships. Field Engineering. Radio Warning Services. Vertical Soundings Research.

Radio Propagation Engineering. Data Reduction Instrumentation. Radio Noise. Tropospheric Measurements. Tropospheric Analysis. Propagation-Terrain Effects. Radio-Meteorology. Lower Atmosphere Physics. Radio Systems. Applied Electromagnetic Theory. High Frequency and Very High Frequency Research. Frequency Utilization. Modulation Research. Antenna Research. Radiodetermination.

Upper Atmosphere and Space Physics. Upper Atmosphere and Plasma Physics. High Latitude Ionosphere Physics. Ionosphere and Exosphere Scatter. Airglow and Aurora. Ionospheric Radio Astronomy.

### RADIO STANDARDS LABORATORY

Radio Physics. Radio Broadcast Service. Radio and Microwave Materials. Atomic Frequency and Time-Interval Standards. Radio Plasma. Millimeter-Wave Research.

Circuit Standards. High Frequency Electrical Standards. High Frequency Calibration Services. High Frequency Impedance Standards. Microwave Calibration Services. Microwave Circuit Standards. Low Frequency Calibration Services.

UNITED STATES GOVERNMENT PRINTING OFFICE DIVISION OF PUBLIC DOCUMENTS WASHINGTON 25, D. C.

OFFICIAL DOCUMENTS

PENALTY FOR PRIVATE USE TO AVOID PAYMENT OF POSTAGE. \$300 (GPO)

### DEPARTMENTS OF THE ARMY AND THE AIR FORCE WASHINGTON 25, D.C., 1 May 1963

TB 11-499-5/TO 31-3-28, CRPL Ionospheric Predictions for August 1963, published for the information and guidance of all concerned.

BY ORDER OF THE SECRETARIES OF THE ARMY AND THE AIR FORCE:

EARLE G. WHEELER, General, United States Army, Chief of Staff.

OFFICIAL:

J. C. LAMBERT, Major General, United States Army, The Adjutant General.

CURTIS E. LEMAY, Chief of Staff, United States Air Force.

OFFICIAL:

R. J. PUGH, Colonel, United States Air Force, Director of Administrative Services.

DISTRIBUTION:

Active Army: USASA (4); USA Elet Comd (1); CSigO (1); USA MI Comd (1); USA Test & Eval Comd (1); USACD Agey (1); USA Msl Spt Comd (1); USCONARC (3); ARADCOM (2); OS Maj Comd (5); OS Base Comd (2); Log Comd (2); MDW (1); Armies (5); Corps (2); Div (2); USA Elet RD Agey (4); Svc Colleges (4); Br Svc Sch (4) except USASCS (20); USAADCEN (2); USAEPG (2); ARADCOM Rgn (2); WSMR (2); USA Elet RD Actv (4); JBUSMC (12); USA Corps (1), USA Mob Spt Cen (1); Units org under fol TOE: 11-18 (1); 11-95 (1); 11-500 AC (1).

NG: None. USAR: None.

For explanation of abbreviations used, see AR 320-50.